



LARS2 gene

leucyl-tRNA synthetase 2, mitochondrial

Normal Function

The *LARS2* gene provides instructions for making an enzyme called mitochondrial leucyl-tRNA synthetase. This enzyme is important in the production (synthesis) of proteins in cellular structures called mitochondria, the energy-producing centers in cells. While most protein synthesis occurs in the fluid surrounding the nucleus (cytoplasm), some proteins are synthesized in the mitochondria.

During protein synthesis, in either the mitochondria or the cytoplasm, a type of RNA called transfer RNA (tRNA) helps assemble protein building blocks (amino acids) into a chain that forms the protein. Each tRNA carries a specific amino acid to the growing chain. Enzymes called aminoacyl-tRNA synthetases, including mitochondrial leucyl-tRNA synthetase, attach a particular amino acid to a specific tRNA. Mitochondrial leucyl-tRNA synthetase attaches the amino acid leucine to the correct tRNA, which helps ensure that leucine is added at the proper place in the mitochondrial protein.

Health Conditions Related to Genetic Changes


Perrault syndrome

At least three mutations in the *LARS2* gene have been found in individuals with Perrault syndrome, a condition characterized by hearing loss in affected males and females and abnormalities of the ovaries in affected females. The *LARS2* gene mutations involved in Perrault syndrome reduce or eliminate the activity of mitochondrial leucyl-tRNA synthetase. A shortage of functional mitochondrial leucyl-tRNA synthetase prevents the normal assembly of new proteins within mitochondria. Researchers speculate that impaired protein assembly disrupts mitochondrial energy production. However, it is unclear exactly how *LARS2* gene mutations lead to hearing problems and ovarian abnormalities in affected individuals.

Chromosomal Location

Cytogenetic Location: 3p21.31, which is the short (p) arm of chromosome 3 at position 21.31

Molecular Location: base pairs 45,388,561 to 45,548,842 on chromosome 3 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- KIAA0028
- leucine translase
- leucine tRNA ligase 2, mitochondrial
- leucyl-tRNA synthetase 2
- LEURS
- MGC26121
- mtLeuRS
- PRLTS4
- probable leucine--tRNA ligase, mitochondrial
- probable leucyl-tRNA synthetase, mitochondrial

Additional Information & Resources

Educational Resources

- Genomes (second edition, 2002): The Role of tRNA in Protein Synthesis
https://www.ncbi.nlm.nih.gov/books/NBK21111/#_A7603_
- Madam Curie Biosciences Database (2000): Mitochondrial Aminoacyl tRNA Synthetases
<https://www.ncbi.nlm.nih.gov/books/NBK6033/>

GeneReviews

- Perrault Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK242617>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28LARS2%5BTIAB%5D%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- LEUCYL-tRNA SYNTHETASE 2
<http://omim.org/entry/604544>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
http://atlasgeneticsoncology.org/Genes/GC_LARS2.html
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=LARS2%5Bgene%5D>
- HGNC Gene Family: Aminoacyl tRNA synthetases, Class I
<http://www.genenames.org/cgi-bin/genefamilies/set/131>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=17095
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/23395>
- UniProt
<http://www.uniprot.org/uniprot/Q15031>

Sources for This Summary

- Konovalova S, Tyynismaa H. Mitochondrial aminoacyl-tRNA synthetases in human disease. Mol Genet Metab. 2013 Apr;108(4):206-11. doi: 10.1016/j.ymgme.2013.01.010. Epub 2013 Jan 26. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23433712>
- OMIM: LEUCYL-tRNA SYNTHETASE 2
<http://omim.org/entry/604544>

- Pierce SB, Gersak K, Michaelson-Cohen R, Walsh T, Lee MK, Malach D, Klevit RE, King MC, Levy-Lahad E. Mutations in LARS2, encoding mitochondrial leucyl-tRNA synthetase, lead to premature ovarian failure and hearing loss in Perrault syndrome. Am J Hum Genet. 2013 Apr 4;92(4):614-20. doi: 10.1016/j.ajhg.2013.03.007. Epub 2013 Mar 28.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23541342>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3617377/>
- Schwenzer H, Zoll J, Florentz C, Sissler M. Pathogenic implications of human mitochondrial aminoacyl-tRNA synthetases. Top Curr Chem. 2014;344:247-92. doi: 10.1007/128_2013_457. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23824528>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/gene/LARS2>

Reviewed: December 2014

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services